

CABLE PROTECTORS 3 & 5 Channel

Moulded rubber cable protectors designed for the temporary protection of both assets from damage and pedestrians from tripping hazards.

Available in either 3 or 5 channel designs. The bodies of these rugged cable protectors are manufactured from a combination of new and recycled rubber, while the hinged lids are tough flexible rubber/plastic composite in high visibility safety yellow.

One metre modules, left or right hand 45° bends and end cap sets allow for flexibility when setting out.

Recommended for short term, light duty vehicle and pedestrian traffic.


Able to withstand 10 tonne per axle loading.

Value features:

- » Available in 3 or 5 channel.
- » Robust construction.
- » Hinged lids for ease of use.
- » Provides safe passage to pedestrians.
- » Protects valuable cables and hoses.
- » Chunky interlocking connectors.
- » Flexible modular design.

Specifications:


Description:	Hinged lid cable protectors.
Material:	Rubber body with rubber/plastic lids.
Length:	Body 900mm.
Width:	590mm.
Height:	75mm.
Channel size:	3 channels at W65mm x D50mm. 5 channels at W35mm x D50mm.
Weight:	3 Channel 25.5kgs/mtr. 5 Channel 23kgs/mtr. 45° Bends 12kgs each. Ends 8kgs/pair.
Load rating:	10 tonne per axle.
Installation:	Interlocking connectors. No tools required.





1 metre body modules in 3 or 5 channel.



45 degree bends (left or right).



End modules sold as pairs.



PART No.	DESCRIPTION
CP3BODY	3 Channel cable protector body
CP3LBEND	3 Channel 45 degree left bend
CP3RBEND	3 Channel 45 degree right bend
CP3ENDS	3 Channel end modules (pair)
CP5BODY	5 Channel cable protector body
CP5LBEND	5 Channel 45 degree left bend
CP5RBEND	5 Channel 45 degree right bend
CP5ENDS	5 Channel end modules (pair)



SECTION 5.2.1

CABLE PROTECTORS – 2 Channel

A durable moulded rubber cable protector designed for the temporary protection of assets from damage and pedestrians from tripping hazards.


The bodies of these rugged cable protectors are manufactured from a combination of new and recycled rubber, while the hinged lids are tough, flexible rubber/plastic composite in hi-viz safety yellow.

Recommended for short term, light duty vehicle and pedestrian traffic.

Not recommended for forklift or truck traffic.

Value features:

- » Robust construction.
- » Hinged lid for ease of use.
- » Provides safe passage to pedestrians.
- » Interlocking 1 metre modules.
- » Protects valuable cables and hoses.



Specifications:

Description:	Hinged lid cable protector.
Material:	Rubber body with rubber/plastic lid.
Length:	1 metre.
Width:	250mm.
Height:	50mm.
Channel size:	2 channels at 30 x 30mm.
Weight:	7.25kg/metre.
Installation:	Interlocking modules. No tools required.

PART No.	DESCRIPTION
CP2BODY	2 channel cable protector

SECTION 5.2.2



CABLE PROTECTORS – Pedestrian

A tough one-piece moulded polyethylene cable protector designed to protect cables from damage and pedestrians from tripping hazards.

Simply fitted by positioning the modules over existing cables or hoses. The interlocking modules are produced in a hi-viz safety yellow with a slip resistant surface.

Recommended for short term or temporary pedestrian traffic.

Ideal for construction and renovation works, or in office environments.

Value features:

- » Simple drop over design.
- » High visibility safety yellow finish.
- » Handy 1010mm long interlocking modules.
- » Low profile design.



Specifications:

Description:	Drop over cable protector.
Material:	Moulded polyethylene.
Length:	1010mm.
Width:	135mm.
Height:	20mm.
Channel size:	Single channel at 40 x 12mm.
Weight:	1.3kg/metre.
Installation:	Interlocking drop over modules. No tools required.

PART No.	DESCRIPTION
CP1BODY	Drop over cable cover

LEGEND



AUSTRALIAN CONTENT

This product has been designed, developed and is either completely or substantially manufactured in Australia. (The minimum Australian content is between 50 and 100%).



NEW AND UNIQUE

This is a new and unique product. It has either been designed, developed and manufactured by the Barrier Group Pty. Ltd. or it is being seen here for the first time.



100% RECYCLABLE

This product is manufactured from virgin grade raw materials and is 100% recyclable using existing, readily available recycling technology and services.



RECYCLED MATERIALS

This product has been manufactured from either a combination of recycled materials and virgin grade materials or entirely from recycled materials.



HOT DIP GALVANISED

This product has been hot dip galvanised prior to any surface coatings being applied. Hot dip galvanised offers vastly improved corrosion protection and extended life in harsh environments.



FIXINGS INCLUDED

This product comes complete with all the necessary fixings to complete the standard installation. When comparing competitors prices against our own, always ensure they have included the fixings with the product (excludes gravel spikes).



5 YEAR WARRANTY

This product carries a 5 year limited warranty against structural failure due to faulty materials or workmanship in our manufactured products, OR structural failure and major fading due to U.V. degradation in our injection moulded products.

(For full conditions visit www.barriergroup.com.au).

WARNING

© Barrier Group Pty. Ltd. takes the protection of its intellectual property (IP) seriously and will not hesitate to pursue legal action against any individual, group or organization attempting to steal, copy or duplicate any of its proprietary designs OR anyone who imports, sells or distributes illegal copies or duplicates of its proprietary designs.

IT'S AGAINST THE LAW – AVOID THE PAIN!